



Tel: +998 (78) 140 27 12
Fax: +998 (71) 239 99 80
AFTN: UZTTYOYX
E-mail: ais@uzaeronavigation.com
notam@uzaeronavigation.com

<https://uzaeronavigation.com>

REPUBLIC OF UZBEKISTAN
UZAERONAVIGATION
CENTRE
**AERONAUTICAL
INFORMATION SERVICE**
13, Lokomotivnaya St.
Tashkent 100167
UZBEKISTAN

**Summary
NOTAM Series D
06 JUL 2026**

ALL TIMES ARE IN UTC

SERIES D 2026: 1141 1140 1138 1137 1136 1134 1133 1132 1130 1128 1127 1126 1125 1124 1123 1121 1120 1119 1117 1116 1113 1111 1109 1103 1095 1094 1093 1092 1087 1079 1078 1077 1074 1067 1066 1056 1055 1054 1052 1000 0999 0998 0997 0986 0984 0978 0977 0975 0973 0972 0943 0939 0938 0905 0904 0876 0864 0863 0859 0832 0830 0829 0828 0825 0820 0819 0818 0817 0791 0780 0765 0748 0747 0696 0578 0360 0158 0102 0025
SERIES D 2025: 1791 1782 1723 1721 1720 1717 1715 1593 1592 1120 1041 1039 1035 1025 1024 1021 1020

D 1141	UZTT WEF 2607010700 till 2607011100. RWY 08R/26L CLSD FOR TAKE OFF AND LDG. RWY 08R/26L: SEGMENT FROM TWY-7 TO TWY-8 CLSD. RWY 08R/26L: SEGMENT FROM TWY-8 TO TWY-15 AVBL FOR TAXIING.
D 1140	UZSB WEF 2607010430 till 2607010900. AD CATEGORY 9 (NINE) FOR FIRE FIGHTING PROVID.
D 1138	UZFN WEF 2607010630 till 2607011130. AD CATEGORY 9 (NINE) FOR FIRE FIGHTING PROVID.
D 1137	UZFF WEF 2607010705 till 2607011205. AD CATEGORY 9 (NINE) FOR FIRE FIGHTING PROVID.
D 1136	UZST WEF 2607011716 till 2607011810. AD AVLB FOR TKOF AND LDG ACFT.
D 1134	UZTT WEF 2606301150 till 2612281400. TAXIING ACFT FROM TWY-2 TO TWY-B AVLB WITH MAX ACFT WINGSPAN 60.60M THE WHITE DASHED LINE TO STAND B2 FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.
D 1133	UZTT WEF 2606301143 till 2612281400. AT ACFT STANDS F94, F94A, F95, F96, F97, F97A: ENGINE START-UP ONLY AT MTWY. TAXI IN AND TAXI OUT OF ACFT BY TOWING ONLY.
D 1132	UZTT WEF 2606301141 till 2612281400. TAXIING INTO AND TAXIING OUT ACFT TO/FROM STANDS D23, D24, D25 USE BY TOWING.
D 1130	UZTT WEF 2606301131 till 2612281400. RWY 08L/26R: 180 DEG TURN IS PROHIBITED, EXCEPT TURN PAD (08L/26R) FOR VIP FLIGHTS,CHECK FLIGHT I ACFT MTOW OF 24 TONS AND LESS.
D 1128	UZTT WEF 2606301118 till 2612281400. AIRCRAFT CREWS EXPECT DLA ON ARR AND DEP DUE TO CONSTRUCTION WORKS AT THE AERODROME.
D 1127	UZTT WEF 2606301115 till 2612281400. TAXIING ON TWY-B TO TWY-2 AND BACK AVLB WITH MAX ACFT WINGSPAN MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.

D 1126	UZTT WEF 2606301112 till 2612281400. TAXIING ON TWY-B TO TWY-1 AND BACK AVLB WITH MAX ACFT WINGSPAN MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR.
D 1125	UZTT WEF 2606301109 till 2610281400. START-UP POINT N17 REPLACED ON ABEAM STAND E1.
D 1124	UZTT WEF 2606301105 till 2610281400. TAXIING INTO ACFT TO STAND B7 BY OWN POWER FOLLOW FOLLOW-ME CAR, TAXIING OUT BACK BY TOWING TO TWY-H.
D 1123	UZTT WEF 2606301101 till 2610281400. TEMPORARY STAND ESTABLISHED: STAND B7 COORDINATES N411543.76 E0691609.60 MAX ACFT WINGSPAN 36M. MAX ACFT LENGTH 46M. PCN-47/F/B/X/T.
D 1121	UZTT WEF 2606301055 till 2610281400. TAXIING INTO ACFT TO STAND B-16, B-17 BY OWN POWER, TAXIING OUT BACK BY TOWING.
D 1120	UZTT WEF 2606301051 till 2610281400. SEGMENT TWY-B ABEAM STAND B-16, B-17 CLSD.
D 1119	UZTT WEF 2606301047 till 2609281400. STAND B-3 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 36M, LENGHT NO MORE THAN 45M.
D 1117	UZTT WEF 2606291717 till 2607021400. SEGMENT TWY-H BETWEEN STANDS H-46, H-47 USE BY TOWING.
D 1116	UZTT WEF 2606291700 till 2607021400. STANDS H-46, H-47 TAXIING INTO ACFT BY OWN POWER, TAXIING OUT BY TOWING.
D 1113	UZTT WEF 2606291619 till 2607021400. STAND C-25 USE ONLY FOR TAXIING ACFT.
D 1111	UZTT WEF 2606291510 till 2607021400. STAND H44 CLSD.
D 1109	UZTT WEF 2606291430 till 2607021400. STANDS H-45 USE ONLY FOR TAXIING ACFT.
D 1103	UZFA WEF 2606261251 till 2611301000. TEMP ACFT STAND 4A AVBL FOR B747-400. STAND DIMENSIONS: 74,7M/68,4M. TAXIING TO/FM STAND 4A ONLY WITH FOLLOW-ME CAR. WHEN B747-400 IS PARKED ON STAND 4A, ADJACENT STANDS 5 AND 7 AVBL FOR ACFT WITH WINGSPAN LESS THAN 36M ONLY.
D 1095	UZSK WEF 2606250453 till 2612312359 EST. STAND 6 AND STAND 8A CLSD.
D 1094	UZSK WEF 2606250450 till 2612312359 EST. STAND 5 CLSD.
D 1093	UZSK WEF 2606250448 till 2612312359 EST. STAND 2 CLSD.
D 1092	UZSK WEF 2606250446 till 2612312359 EST. MAIN TWY, TWY-1, TWY-3 AND TWY-4 IS CLOSED.
D 1087	UZTR WEF 2608060000 till 2608192359. AIRAC EFFECTIVE DATE 06 AUG 2026 NIL.
D 1079	UZSK WEF 2606230702 till 2612312359 EST. LLZ FOR RWY 16 BEYOND 33 DEG LEFT AND RIGHT FROM THE FINAL APPROACH COURSE IS UNRELIABLE. PILOTS MUST EXERCISE CAUTION AND MONITOR AN AIRPLANE POSITION USING OTHER NAVIGATOIN EQUIPMENT.
D 1078	UZSK WEF 2606230657 till 2612312359 EST. ON PERIOD WHEN AERODROME KARSHI IS OUT OF REGULAR SERVICE HOURS IN KARSHI TOWER RESPONSIBLE AREA ATC IS PROVIDED BY SAMARKAND CONTROLE ON 134,8 MHZ.
D 1077	UZSK WEF 2606230653 till 2612312359 EST. ATC SERVICE AT KARSHI CARRIED OUT O/R NOT LESS THAN 3 HRS BEFORE ETA.

D 1074	UZNN WEF 2606221200 till 2607070500. DUE WIP ON TWY-E AND TWY-B, ACFT CODE LETTER D NOT AVBL. AD AVBL FOR ACFT CODE LETTER C AND BELLOW ONLY.
D 1067	UZNU WEF 2606220443 till 2608190200. DUE APRON RECONSTRUCTION WORKS TWY T1, T2, T3 AND STANDS 1, 2, 5, 6 CLSD.
D 1066	UZNN WEF 2606220423 till 2607070500. TAXIING OF ACFT TO TWY-E AND TWY-B STRICTLY MARKING YELLOW LINE FOLLOW FOLLOW-ME CAR ONLY.
D 1056	UZFA WEF 2606181332 till 2611301000 EST. RWY 04: APPROACH CAT2 ILS U/S.
D 1055	UZNU WEF 2606190200 till 2608190200. ACFT STANDS 7, 8, 9A, 10, 11, 11A, 12, 13, 14 TEMP AVBL. TAX TO/FM STANDS BEHIND FOLLOW-ME CAR ONLY. EXER CTN DUE APRON RECONSTRUCTION WORKS IN PROGRESS.
D 1054	UZNU WEF 2606190200 till 2608190200. ACFT TAX TO/FM RWY ON TWY-A ONLY. ENTRY TO RWY AND EXIT FROM RWY TO BE CONDUCTED VIA RWY 13 END.
D 1052	UZNU WEF 2606190200 till 2608190200. NEW TWY-A COMMISSIONED: SURFACE - ASPHALT, WIDTH - 25M. PCN 77/R/B/W/T.
D 1000	UZSA WEF 2607090000 PERM. IN THE PROFILE VIEW SHOULD READ R070D6.6NVI INSTEAD OF SA201 AND READ R071D11.6NVI INSTEAD OF SA202. REF: AIPUZSA AD 2.24-6.8 AIRAC AMDT 04/26 EFFECTIVE DATE 09 JUL 2026.
D 0999	UZSA WEF 2607090000 PERM. IN FIRST LEGS OF MISSED APPROACH CF SHOULD READ CF TO SA102 INSTEAD OF CF TO SA202. REF: AIP UZSA AD 2.24-6.7, AD 2.24-6.10 AIRAC AMDT 04/26 EFFECTIVE DATE 09 JUL 2026.
D 0998	UZSB WEF 2607090000 PERM. ON PAGE UZSB AD 2.24-5.3 THE DATE OF HOLDING PATTERN: READ LOM 795 BR N394926.3 E0642936.7 INSTEAD OF 435 ZR N422646.6 E0593901.3. REF: AIP UZSB AD 2.24-5.3 AIRAC AMDT 04/26 EFFECTIVE DATE 09 JUL 2026.
D 0997	UZSB WEF 2607090000 PERM. RWY 01. DO NOT USE THE HOLDING PATTERN ON PAGE AD 2.24-6.0. RWY 19. DO NOT USE THE HOLDING PATTERN ON PAGE AD 2.24-6.1. REF: AIP UZSB AD 2.24-6.0, AD 2.24-6.1 AIRAC AMDT 04/26 EFFECTIVE DATE 09 JUL 2026.
D 0986	UZSS WEF 2606010925 till 2608011859 EST. STANDS 11, 11L, 11R CLSD.
D 0984	UZTR WEF 2607090000 till 2607222359. TRIGGER NOTAM-PERM AIRAC AIP AMDT 04/26 EFF DATE 09 YUL 2026 CHANGES IN: AD 1.5-1/2, AD2. UZSB, UZSK, UZSA, UZNN, UZFF, UZFN, UZSS, UZTP, UZST, UZNU.
D 0978	UZTT WEF 2605291100 till 2608291400. STANDS E69, E70 ARE AVLB FOR ACFTS WITH WING SPAN NO MORE THAN 34,1M AND LENGTH NO MORE THAN 44,6M.
D 0977	UZTT WEF 2605291053 till 2608291400. TWY-H FROM ABEAM STAND E1 TO ABEAM STAND B-7 CLSD.
D 0975	UZTT WEF 2605291032 till 2608291400. STAND E71 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 34.1M, LENGTH NO MORE THAN 37.57M, ONLY IF STAND E70A IS OCCUPIED BY ACFT WITH WINGSPAN NO MORE THEN 60.3M LENGTH NO MORE THEN 63.7M.
D 0973	UZTT WEF 2605291010 till 2608291400. TAXIING ACFT TO ABEAM STAND E1 AVLB WITH MAX ACFT WINGSPAN 36M AND LESS ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR.
D 0972	UZTT WEF 2605291000 till 2608291400. TAXIING INTO ACFT TO STAND B15 BY OWN POWER, TAXIING OUT ACFT BACK BY TOWING ON MAIN TWY OR TOWING FORWARD ON START-UP POINT N3.

D 0943	UZFA WEF 2605210743 till 2608312359 EST. RWY 22: APPROACH DAY ONLY.
D 0939	UZTP WEF 2605191218 PERM. REFER TO IAC CHARTS: ILS M CAT II AND III OR LOC M RWY 08 (UZTP AD 2.24-6.8), ILS N CAT II AND III OR LOC N RWY 08 (UZTP AD 2.24-6.12), ILS S OR LOC S RWY 08 (UZTP AD 2.24-6.16). ILS/DME IDENT IIS FREQ 108.1 MHZ TO BE READ 111.5 MHZ. REF: AIP UZTP AD2.24-6.8, AD2.24-6.12, AD2.24-6.16.
D 0938	UZTT WEF 2605191030 till 2608191400. TAXIING INTO/OUT ACFT TO STANDS H48, H49, H50, H51, H52, H53, H54, H55, H56, H57 USE BY TOWING FROM START-UP POINT N11. MOVEMENT ACFT WITH TURNED OFF ENGINES. START-UP ENGINES ON START-UP POINT N11.
D 0905	UZTP WEF 2605141300 PERM. SID VOR/DME RWY 08 PUBLISHED IN CHARTS SID VOR/DME 08 (AIP UZTP AD 2.24-4.17, AD 2.24-4.19) TO BE ASSIGNED IN CASE OF GNSS FAILURE OR LOSS. UNDER NORMAL CONDITIONS RNAV (GNSS) SID SHALL BE USED. REF: AIP UZTP AD2.24-4.17, AD2.24-4.19 AIRAC AMDT 03/26 EFFECTIV DATE 14 MAY 2026.
D 0904	UZTT WEF 2605141300 PERM. SID DVOR/DME RWY 08L/R PUBLISHED IN CHART SID DVOR/DME RWY 26R/L, RWY 08L/R (AIP UZTT AD2.24-4.15) TO BE ASSIGNED IN CASE OF GNSS FAILURE OR LOSS. UNDER NORMAL CONDITIONS RNAV (GNSS) SID SHALL BE USED. REF: AIP UZTT AD2.24-4.15 AIRAC AMDT 03/26 EFFECTIV DATE 14 MAY 2026.
D 0876	UZFA WEF 2605080633 till 2611301000. TEMPORARY STANDS 1,2,3,4,5,6,7,8 AND 9 OPEN FOR ACFT ARRIVALS. TAXIING USE FOLLOW FOLLOW-ME CAR ONLY.
D 0864	UZTT WEF 2605140000 PERM. ON PAGE AD2.UZTT-7, ADD THE FOLLOWING VALUES TO TABLE 2.13 DECLARED DISTANCES: RWY 08L: TWY1: TORA 3750M, TODA 3900M, ASDA 3750M RWY 26R: TWY5: TORA 3750M, TODA 3900M, ASDA 3750M TWY3: TORA 1200M, TODA 1350M, ASDA 1200M RWY 08R: TWY7: TORA 3555M, TODA 3705M, ASDA 3555M RWY 26L: TWY13: TORA 1300M, TODA 1450M, ASDA 1300M TWY14: TODA 2500M INSTEAD OF 2350M. REF: AIP AD2. UZTT-7 AIRAC AMDT 05/25 EFFECTIV DATE 02 OCT 2025.
D 0863	UZTT WEF 2605140000 PERM. ON PAGE UZTT AD2.24-1.0-1, MAKE THE FOLLOWING CORRECTIONS IN THE DECLARED DISTANCES TABLE: RWY 08L: TWY1 INSTEAD OF THR1: RWY 26R: TWY5 INSTEAD OF THR5: RWY 08R: TWY7 INSTEAD OF THR7: REF: AIP UZTT AD2.24-1.0-1 AIRAC AMDT 03/26 EFFECTIV DATE 14 MAY 2026.
D 0859	UZFN WEF 2605060524 till 2609302359. 180 DEG TURN FOR CAT E ACFT MUST BE PERFORMED ON THE TURNING BAY AT THE END OF RWY 28.
D 0832	UZNN WEF 2606010000 till 2610241830. AD OPR HR: MON 0000-1830 TUE 0000-0600 1440-1830 WED 0000-1830 THU 0000-0600 1440-1830 FRI 0000-1830 SAT 0000-1830 SUN 0000-0500 1430-1830.
D 0830	UZST WEF 2604300836 till 2610241715. AD OPR HR: MON 0020-0400 0850-1715 2335-2359 TUE 0000-0500 0840-1715 WED 0100-1715 2045-2359 THU 0000-0400 0750-1715 FRI 0000-0500 0930-1715 2010-2359 SAT 0000-0440 0840-1715 SUN 0000-0500 0800-1715.
D 0829	UZFA WEF 2604300824 till 2610240830. AD OPR HR: MON 0030-0500 1355-1810 TUE 0450-1310 WED 0840-1310 THU 0030-1810 FRI 0740-1200 2010-2359 SAT 0000-0115 0450-0830 SUN 0640-1100 1520-1935.

D 0828	UZSK WEF 2604300820 till 2610240540. AD OPR HR: MON 0000-1335 TUE 0000-0400 0725-1200 WED 0000-1100 THU 0000-0400 0725-1200 2115-2359 FRI 0000-0400 SAT 0000-0540 SUN 0000-0400 0725-1200.
D 0825	UZSK WEF 2604291209 till 2610312359 EST. KARSHI AD IS NOT PROVIDE AS ALTN. FOR CHARTER FLIGHTS AD OPR HR WILL BE ESTABLISHED THEN FOR TKOF/LDG ACFT.
D 0820	UZSS WEF 2604281157 till 2607271859 EST. CLOSED RWY REMAINS SOUTH OF RWY 09/27.AVERAGE DISTANCE BETWEEN ACTIVE AND CLOSED RWY CENTERLINES IS 110 METERS. PILOTS MUST EXERCISE CAUTION TO AVOID RWY CONFUSING. REF:AIP AD2.UZSS-11,UZSS-12,UZSS-27,UZSS-28,UZSS-29,UZSS-30, UZSS-31,UZSS-32.
D 0819	UZSS WEF 2604281153 till 2607271859 EST. TAXIING ACFT TO STANDS 12-13 BEHING FOLLOW FOLLOW-ME CAR, WITH EXCEPTION ACFT WITH WINGSPAN OF 36,0 METERS OR MORE.
D 0818	UZSS WEF 2604281146 till 2607271859 EST. NORTH OF RWY 09/27 CRANES 722,0M HEIGHT ARE INSTALLED. THR: RWY 09 X=-2179,0M Y=-201,0M COORDINATES: N394210.41 E0665923.67.
D 0817	UZSS WEF 2604281139 till 2607271859 EST. STANDS FOR ACFT CAT A-B-C AND MODIFICATIONS 12-24 (TAX INTO NOSE TO NORTH AND TAX OUT OF UNDER ENGINES POWER BY ASSISTANCE OF FOLLOW-ME CAR.)
D 0791	UZSB WEF 2604240755 till 2612312359 EST. TWY-4 AND TWY-5 CLSD.
D 0780	UZSS WEF 2604230836 till 2607221859. CONSTRUCTION WORK IN PROGRESS EAST OF RWY 27 CENTERLINE. CRANES OPERATING WITH MAX HEIGHT 25 M. POSITION RELATIVE TO RWY 27: X=893,08 M Y=63,13 M X=916,12 M Y=117,8 M COORD: N394200.26 E0670033.69 N394201.95 E0670035.08 PILOTS ARE ADVISED TO EXERCISE CAUTION.
D 0765	UZTP WEF 2604171126 till 2607172359 EST. RWY 08/26: APPROACH CAT3 ILS U/S.
D 0748	UZFF WEF 2604140459 till 2610011000. MAKING 180 DEG TURNS AT THE END OF RWY 36 FOLLOW THE MARKING LINE STRICLY.
D 0747	UZFF WEF 2604140300 till 2607142359. TEMPORARY AIRCRAFT STANDS ESTABLISHED. ACFT TYPE RESTRICTIONS AS FOLLOWS: STANDS 1,3,7: UP TO A320 STANDS 2L,2R,9,10: UP TO A321NEO STANDS 5,6: UP TO AN-2 STANDS 2,9A: UP TO B787-8 STANDS 4: UP TO A330-300 ALL STAND OPERATIONS SUBJECT TO FOLLOW-ME CAR.
D 0696	UZNU WEF 2604061201 till 2610070900. ACFT WITH MTOW 45 TONS OR ABOVE MUST TURNS PERFORM ON TURNING PADS OF THE RWY 13/31 STRICLY THE MARKING LINE.
D 0578	UZTP WEF 2604160000 PERM. IAC ILS S OR LOC S RWY08 (UZTP AD2.24-6.16) MHA OVER ERWET READ 4000FT INSTEAD OF 7000FT.
D 0360	UZTT WEF 2602170726 PERM. EFFECTIVE FROM 17 FEBRUARY 2026 ON A PERMANENT BASIS, ALL BUSINESS AVIATION OPERATORS PLANNING TO PERFORM CHARTER FLIGHTS TO THE CITY OF TASHKENT (REPUBLIC OF UZBEKISTAN) SHALL INDICATE TASHKENT-VOSTOCHNY AD(HUMO)-UZTP AS THE DESTINATION AD IN FLIGHT APPLICATIONS AND IN FLIGHT PLANS INSTEAD OF TASHKENT- I.KAROMOV- UZTT.
D 0158	UZTT WEF 2601200906 PERM. OCA(H) ILS CAT II FOR ACFT ALL CAT ESTABLISHED AS: 1469 FT/(100FT). REF:AIP ILS CAT II OR LOC RWY08L (UZTT AD2.24-6.0), ILS CAT II OR LOC RWY08L (UZTT AD2.24-6.16).

D 0102	UZFN WEF 2601141058 till 2701131100. LLZ FOR RWY 28 BEYOND 32 DEG LEFT AND RIGHT FROM THE FINAL APPROACH COURSE IS UNRELIABLE. PILOTS MUST EXERCISE CAUTION AND MONITOR AN AIRPLANE POSITION USING OTHER NAVIGATOIN EQUIPMENT.
D 0025	UZNN WEF 2601051400 till 2612312359. AD IS NOT AVBL FOR ACFT TYPE OF B-787-8 AND ABOVE.
D 1791	UZSA WEF 2512300800 till 2612312359 EST. ACFT WITH MTOW 101 TONS OR ABOVE MUST PERFORM 180 DEG TURN ON TURN PAD AT RWY 07/25 STRICTLY MARKING LINE.
D 1782	UZSA WEF 2512291059 till 2612311200. APN 2: STAND 10A ARE TEMPO ESTABLISHED. MARKING STRIPES ARE AVAILABLE.TAXIING INTO/OUT OF STAND CARRY OUT BEHIND FOLLOW-ME CAR. STAND 10A - 400716.22N 0650952.50E PCN 62 R/A/X/T. STAND AVBL FOR ACFT WITH LENGTH NOT MORE THAN 76M AND WING SPAN NOT MORE THAN 68M.
D 1723	UZFA WEF 2512241539 PERM. RWY 04/22: STOPWAY LIGHTS PUT INTO OPERATION. LENGTH 60M, COLOUR RED. REF: AIP AD2. UZFA-10, 2.14 APPROACH AND RUNWAY LIGHTING.
D 1721	UZFA WEF 2512241531 PERM. RWY 04: RWY EDGE LIGHTS PUT INTO OPERATION. LENGTH 3298M, SPACING 60M. COLOUR: AT THE BEGINNING OF THE RWY 300M RED, 2398M WHITE, 600M YELLOW. RWY 22: RWY EDGE LIGHTS PUT INTO OPERATION. LENGTH 3298M SPACING 60M. COLOUR: AT THE BEGINNING OF THE RWY 2698M WHITE, 600M YELLOW. HIL. REF: AIP AD2. UZFA-10, 2.14 APPROACH AND RUNWAY LIGHTING.
D 1720	UZFA WEF 2512241527 PERM. RWY 04: RUNWAY CENTER LINE LIGHTS PUT INTO OPERATION, TOTAL LENGTH 3298M, SPACING 15M. RWY CENTRE LINE LIGHTS: -LAST 300M FROM RWY END-RED: -FROM 300M TO 900M FROM RWY END - ALTERNATING 2 RED AND 2 WHITE: -REMAINDER - WHITE. HIL. REF: AIP AD2. UZFA-10,2.14 APPROACH AND RUNWAY LIGHTING.
D 1717	UZFA WEF 2512241518 PERM. RWY 04/22: PRECISION APPROACH PATH INDICATOR (PAPI-L) PUT INTO OPERATION. GLIDE PATH ANGLE 3.00 DEG. REF: AIP AD2. UZFA-10, 2.14 APPROACH AND RUNWAY LIGHTING.
D 1715	UZFA WEF 2512241509 PERM. RWY 04: APPROACH LIGHTING SYSTEM PUT INTO OPERATION. TYPE HIL, CAT 1, LENGTH 900M. REF: AIP AD2. UZFA-10, 2.14 APPROACH AND RUNWAY LIGHTING.
D 1593	UZTR WEF 2512101412 PERM. SEGMENT OF ATS ROUTE T525 BETWEEN WAYPOINT LELBA AND WAYPOINT ENOVO OPERATING BI-DIRECTIONALLY. REF: AIP ENR 3.1-17, 6.1-1.
D 1592	UZTR WEF 2512101409 PERM. SEGMENT OF ATS ROUTE N193 BETWEEN WAYPOINT USOLO AND WAYPOINT ELMAL IS OPERATING BI-DIRECTIONALLY. REF: AIP ENR 3.1-11, 6.1-1
D 1120	UZSD WEF 2510151019 PERM. ATS ROUTE Y300 SEGMENT GONAK-FIZLE CLOSED IN BOTH DIRECTIONS WITHIN SAMARKAND SECTOR 6 DUE TO OPERATIONAL REASONS. REF: AIP ENR 3.1-22, ENR 6.1-1.
D 1041	UZFN WEF 2510020702 PERM. "SURVEILLANCE SERVICE SHALL BE AVAILABLE" U/S. REF. AIP UZFN AD2.24-5.1, AD2.24-5.2/5.3, AD2.24-5.4.
D 1039	UZTT WEF 2510020628 PERM. D-ATIS SYSTEM AVBL VIA CH SITA. REF.AIP GEN 3.5,AD2.UZTT-6.

D 1035	UZSS WEF 2510020616 PERM. D-ATIS SYSTEM AVBL VIA CH SITA. REF.AIP GEN 3.5,AD2.UZSS-10.
D 1025	UZTR WEF 2510020243 PERM. IN ACCORDANCE WITH THE LEGISLATYION OF THE REPUBLIC OF UZBEKISTAN, FROM JULY 1,2020 YEAR,A MANDATORY PROCEDURE HAS BEEN INTRODUCED FOR PROVIDING PREMILINARY PASSENGER INFORMATION TO THE BORDER TROOPS OF THE STATE SECURITY SERVICE OF THE REPUBLIC OF UZBEKISTAN FOR ALL OPERATORS OF FOREIGN AIRCRAFT FLYING TO/FROM UZBEKISTAN. FOR INFORMATION:A WEB PORTAL BORDERS TROOPS OF THE STATE SECURITY SERVICE HAS BEEN CREATED TO OBTAIN PRELIMINARY INFORMATION ABOUT PASSENGERS FROM OPERATORS OF FOREIGN AIRCRAFT HTTP:EBORDER.UZ,FTP GATEWAY (HOST:EBORDER.UZ,PORT:21,SITATEX TYPE B GATEWAY (TASPIHY)AND EMAIL ADDRESS API(AT)EBORDER.UZ IN CASE OF NON-COMPLIANCE WITH THE REQUIREMENTS OF THE CURRENT LEGISLATION OF THE REPUBLIC OF UZBEKISTAN IN ACCORDANCE WITH THE INSTRUCTIONS ON THE PROCEDURE FOR ISSUING OPERATIONAL PERMITS TO FOREIGN AIRCRAFT OPERATORS, THE OPERATIONAL PERMIT MAY BY TERMINATED, AND CHARTER FLIGHTS TO THE REPUBLIC OF UZBEKISTAN WILL NOT BE CONSIDERED.
D 1024	UZTR WEF 2510020220 PERM. THE OPEN SKIES REGIME HAS BEEN EXTENDED AT SAMARKAND AIRPORT SINCE OCTOBER 2024 UNTIL THE END OF THE IATA SUMMER 2027 SEASON. THE SPECIFIED REGIME IS INTRODUCED WITH THE RIGHT TO FLY WITHOUT FREQUENCY RESTRICTIONS TAKING INTO ACCOUNT THE TECHNICAL CAPABILITIES OF THE AIROPORT, INCLUDING THE 5TH FREEDOM OF THE AIR, ON THE ROUTES THAT ARE NOT OPERATED BY THE DESIGNATED CARRIES OF THE REPUBLIC OF UZBEKISTAN. ALL FOREIGN AIR OPERATORS OF THE ICAO MEMBER STATES WILLING TO OBTAIN PERMISSION TO PERFORM REGULAR FLIGHTS TO SAMARKAND AIROPORT SHOULD CONTACT CIVIL AVIATION AGENCY OF UZBEKISTAN AT THE FOLLOWING ADRESS: 73-B, NUKUS STREET. AGENCY 100015, TASHKENT REPUBLIC OF UZBEKISTAN TEL.:(+998 71) 254 34 10 FAX: (+998 71) 254 14 82 E-MAIL: CAA(A)UZCAA.UZ.
D 1021	UZSS WEF 2510020213 PERM. CPDLC AVBL VIA CH SITA. REF.AIP ENR 1.6.
D 1020	UZTT WEF 2510020211 PERM. CPDLC AVBL VIA CH SITA. REF.AIP ENR 1.6.

LATEST PUBLICATIONS:

AIP AIRAC AMDT 04/26 EFF 09 JUL 2026

AIP AMDT 19/25, 20/25 EFF 02 AUG 2025

AIP SUPPLEMENT NIL

AIP AIC 02/26 01 APR 2026

AIP AICs in force: 04/12,

03/14,

02/26,

03/26.

END OF NOTAM LIST